DSS65-
TV65/3-



8 HELPFUL ACCESSOIRES FOR WIRELESS SENSORS AND BUS SENSORS

Accessories active and passive wireless sensors and wired bus sensors

NEW Universal frames E-Design55 internal dimensions 55 x 55 mm R1UE55, R2UE55, R3UE55 and R4UE55 8 - 2

NEW Universal frames E-Design65 internal dimensions 65x65mm, R1UE, R2UE, R3UE and R4UE 8 - 3

Flat frames E-Design65 RF1E, RF2E, RF3E and RF4E 8 - 4

Frames internal dimensions 55x55mm R, R2 and R3 8 - 5

Wireless pushbutton enrryption rocker FTVW 8 - 5

Blind covers BLA65-wg, BLA65F-wg and BLA55- 8 - 6

Blind covers BLF-wg and fused safety sockets DSS65-wg, DSS65F-wg 8 - 7

NEW Fused safety sockets DSS55E-wg, DSS+SDO55- and cover TAE65/3-wg 8 - 8

Covers TV65/2-wg, TV65/3-wg, TV65/4-wg 8 -9

Covers UAE65/2-wg, TAE65F/3-wg, TV65F/2-wg 8 -10

Covers TV65F/3-wg, TV65F/4-wg, UAE65F/2-wg 8 -11

Desktop base for E-Design65 Taster and sensors SO65 8 -12

Desktop base for E-Design55 Taster and sensors SO55 8 -12

Cover grey FSAF-gr 8 -12

Rockers and double rockers laser engraved for E-Design65 pushbuttons and switches W + DW 8 -13

Rockers and double rockers laser engraved for pushbuttons and switches 55er Design and E-Design55 W + DW 8 -14

Rockers and double rockers laser engraved for remote control and hand-held transmitters W + DW 8 -15

Laser engravings overview 8 -16

Adapter frame AR65/2,8-wg 8 -19

Bus motion/brightness sensor BBH65/12V DC-wg 8 -19

Bus temperature controller with hand wheel BTR65H/12V DC-wg 8 -19

Bus thermo clock/hygrostat with display BUTH65D/12V DC-wg 8 -20

NEW Bus temperature sensor BTF65/12V DC-wg 8 -20

NEW Bus motion/brightness sensor BBH55/12V DC-wg 8 -20

NEW Bus temperature controller with hand wheel BTR55H/12V DC-wg 8 -21

NEW Bus thermo clock/hygrostat with display BUTH55D/12V DC-wg 8 -21

NEW Bus temperature sensor BTF55/12V DC-wg 8 -21



Single frame R1UE55



Double frame R2UE55



Triple frame R3UE55



4-way frame R4UE55

R1UE55-, R2UE55-, R3UE55-, R4UE55- NEW

Universal frames E-Design55. Single frames R1UE55, 80 x 80 mm external dimensions, double frames R2UE55, 80 x 152 mm external dimensions, triple frames R3UE55, 80 x 224 mm external dimensions and 4-way frames R4UE55, 80 x 292 mm external dimensions. 11 mm hoch. Internal frame dimensions 55 x 55 mm.

The universal frames can be mounted horizontally and vertically.
For all wireless sensors of the 55 switching system.

R1UE55-al	Single universal frame coated/aluminium paint	EAN 4010312908464	**4,70 €/pc.**
R1UE55-ag	Single universal frame anthrazit	EAN 4010312908488	**2,90 €/pc.**
R1UE55-wg	Single universal frame white glossy	EAN 4010312908341	**2,90 €/pc.**
R1UE55-gw	Single universal frame glossy white	EAN 4010312908457	**2,90 €/pc.**
R1UE55-sg	Single universal frame black glossy	EAN 4010312908471	**2,90 €/pc.**

R2UE55-al	Double universal frame coated/aluminium paint	EAN 4010312908525	**8,90 €/pc.**
R2UE55-ag	Double universal frame anthracite	EAN 4010312908518	**4,10 €/pc.**
R2UE55-wg	Double universal frame white glossy	EAN 4010312908365	**4,10 €/pc.**
R2UE55-gw	Double universal frame glossy white	EAN 4010312908495	**4,10 €/pc.**
R2UE55-sg	Double universal frame black glossy	EAN 4010312908501	**4,10 €/pc.**

R3UE55-al	Triple universal frame coated/aluminium paint	EAN 4010312908563	**11,50 €/pc.**
R3UE55-ag	Triple universal frame anthracite	EAN 4010312908556	**4,30 €/pc.**
R3UE55-wg	Triple universal frame white glossy	EAN 4010312908358	**4,30 €/pc.**
R3UE55-gw	Triple universal frame glossy white	EAN 4010312908532	**4,30 €/pc.**
R3UE55-sg	Triple universal frame black glossy	EAN 4010312908549	**4,30 €/pc.**

R4UE55-al	4-way universal frame coated/aluminium paint	EAN 4010312908600	**14,50 €/pc.**
R4UE55-ag	4-way universal frame anthracite	EAN 4010312908594	**4,90 €/pc.**
R4UE55-wg	4-way universal frame white glossy	EAN 4010312908440	**4,90 €/pc.**
R4UE55-gw	4-way universal frame glossy white	EAN 4010312908570	**4,90 €/pc.**
R4UE55-sg	4-way universal frame black glossy	EAN 4010312908587	**4,90 €/pc.**



Single frame R1UE



Double frame R2UE



Triple frame R3UE



4-way frame R4UE

R1UE, R2UE, R3UE, R4UE

NEW

Universal frames E-Design65. Single frames R1UE, 84 x 84 mm external dimensions, double frames R2UE, 84 x 155 mm external dimensions, triple frames R3UE, 84 x 226 mm external dimensions and 4-way frames R4UE, 84 x 297 mm external dimensions. 13 mm high. Internal frame dimensions 65x65 mm.

The universal frames can be mounted horizontally and vertically.

R1UE-wg	Single universal frame white glossy	EAN 4010312908617	**2,90 €/pc.**
R2UE-wg	Double universal frame white glossy	EAN 4010312908327	**4,10 €/pc.**
R3UE-wg	Triple universal frame white glossy	EAN 4010312908334	**4,30 €/pc.**
R4UE-wg	4-way universal frame white glossy	EAN 4010312908440	**4,90 €/pc.**

Recommended retail prices excluding VAT.



Single frame RF1E



Double frame RF2E



Triple frame RF3E



4-way frame RF4E

RF1E, RF2E, RF3E, RF4E

Flat frames E-Design65. Single frames RF1E, 84 x 84 mm external dimensions, double frames RF2E, 84 x 155 mm external dimensions, triple frames RF3E, 84 x 226 mm external dimensions and 4-way frames RF4E, 84 x 297 mm external dimensions. The flat frames are 8.5 mm high. Internal frame dimensions 65x65 mm.

These frames can only be used vertically for sensors.

RF1E-wg	Single flat frame, pure white glossy	EAN 4010312907245	**2,90 €/pc.**
RF2E-wg	Double flat frame, pure white glossy	EAN 4010312907252	**4,10 €/pc.**
RF3E-wg	Triple flat frame, pure white glossy	EAN 4010312907269	**4,30 €/pc.**
RF4E-wg	4-way flat frame, pure white glossy	EAN 4010312907610	**4,90 €/pc.**



3-way frame R3

R-, R2-, R3-

Frames internal dimensions 55 x 55 mm. Single frames R, 80 x 80 mm external dimensions, double frames R2, 80 x 151 mm external dimensions, and triple frames R3, 80 x 222 mm external dimensions. 15 mm high.

R-	1-way frames for wireless pushbuttons -ws, -rw, -wg, -sz, -an -al	**3,90 €/pc.** **4,70 €/pc.**
R2-	2-way frames for wireless pushbuttons -ws, -rw, -wg, -sz, -an -al	**4,20 €/pc.** **8,90 €/pc.**
R3-	3-way frames for wireless pushbuttons -ws, -rw, -wg, -sz, -an -al	**4,40 €/pc.** **11,50 €/pc.**

FTVW

The wireless pushbutton encryption rocker FTVW can be used to activate and deactivate the encryption of Eltako wireless pushbuttons, hand-held wireless transmitters and wireless remote control with batteryless and cordless EnOcean wireless modules. This excludes the tap-radio® pushbuttons and handheld transmitters using the EnOcean module PTM210.

8-5

First, remove the rockers. The wireless modules must be removed from wireless mini hand-held transmitters FMH8 and placed on a flat surface.

Activate encryption:
The label ***encryption ON*** is located on the top side.



Press the encryption rocker on the wireless module and press the rocker twice.

Deactivate encryption:
The label ***encryption OFF*** on the FTVW is located on the top side.



Press the encryption rocker on the wireless module and press the rocker once.

Teach-in of encryptable EnOcean wireless modules is described in the operating instructions for encryptable actuators.
This is identified by the pictogram ⊶.

FTVW	Wireless pushbutton encryption rocker	EAN 4010312907030	**1,50 €/pc.**

Recommended retail prices excluding VAT.



BLA65-wg

Blind cover BLA65 E-Design65 for R1UE, R2UE, R3UE and R4UE.

BLA65-wg	Blind cover for R1E – R4E, pure white glossy	EAN 4010312907139	**3,40 €/pc.**



BLA65F-wg

Blind cover BLA65F flat E-Design65 for RF1E, RF2E, RF3E and RF4E.

BLA65F-wg	Blind cover for RF1E – RF4E, pure white glossy	EAN 4010312907412	**3,40 €/pc.**



BLA55-

Blind cover BLA55 E-Design55 for R1UE55, R2UE55, R3UE55 and R4UE55.

BLA55-rw	Blind cover for R1UE55 – R4UE55, pure white	EAN 4010312905883	**3,40 €/pc.**
BLA55-wg	Blind cover for R1UE55 – R4UE55, pure white glossy	EAN 4010312905913	**3,40 €/pc.**

Recommended retail prices excluding VAT.



BLF-wg

Blind cover BLF for R1F, R2F and R3F.

BLF-wg	Blind cover for R1F, R2F and R3F, pure white glossy	EAN 4010312904268	**3,40 €/pc.**



DSS65-wg

German Fused Safety Socket DSS with socket outlet front in E-Design65. Pure white glossy. With increased shock protection. The socket base bearing the VDE sign has plug-in terminals.

DSS65-wg	DSS with socket outlet front, pure white glossy	EAN 4010312315996	**5,90 €/pc.**



DSS65F-wg

German Fused Safety Socket with socket outlet front in E-Design65 for flat frames. Pure white glossy. With increased shock protection. The socket base bearing the VDE sign has plug-in terminals.

DSS65F-wg	DSS with socket outlet front, pure white glossy	EAN 4010312316818	**5,90 €/pc.**



DSS55E-wg

NEW

German Fused Safety Socket DSS with socket outlet front in E-Design55, 80 x 80 mm external dimensions, external frame dimensions 55 x 55 mm. Pure white glossy. With increased shock protection. The socket base bearing the VDE sign has plug-in terminals.

DSS55E-wg	DSS with socket outlet front, pure white glossy	EAN 4010312320082	**5,70 €/pc.**



DSS+SD055-

German Fused Safety Socket DSS with socket outlet front SD055.
With increased shock protection.

DSS+SD055-ws	DSS with socket outlet front, white glossy	EAN 4010312310830	**6,80 €/pc.**
DSS+SD055-rw	DSS with socket outlet front, pure white	EAN 4010312310854	**6,80 €/pc.**
DSS+SD055-wg	DSS with socket outlet front, pure white glossy	EAN 4010312310885	**6,80 €/pc.**
DSS+SD055-sz	DSS with socket outlet front, black	EAN 4010312310878	**6,80 €/pc.**
DSS+SD055-an	DSS with socket outlet front, anthracite	EAN 4010312310908	**6,80 €/pc.**



TAE65/3-wg

Cover for 3-socket telecommunications access unit (TAE). Pure white glossy. For E-Design65 frames R1UE, R2UE, R3UE and R4UE. Fits all Rutenbeck TAE access sockets.

TAE65/3-wg	3-socket TAE cover for E-design frames	EAN 4010312907337	**2,90 €/pc.**

Recommended retail prices excluding VAT.



TV65/2-wg

2-hole cover for TV/RF aerial sockets. Pure white glossy. For E-Design65 frames R1UE, R2UE, R3UE and R4UE. Fits all Hirschmann aerial sockets.

TV65/2-wg	TV/RF cover for E-design frames	EAN 4010312907351	**2,90 €/pc.**

8-9



TV65/3-wg

3-hole cover for TV/RF/SAT aerial sockets. Pure white glossy. For E-Design65 frames R1UE, R2UE, R3UE and R4UE. Fits all Hirschmann aerial sockets.

TV65/3-wg	TV/RF/SAT cover for E-design frames	EAN 4010312907382	**2,90 €/pc.**



TV65/4-wg

4-hole cover for TV/RF/SAT aerial sockets. Pure white glossy. For E-Design65 frames R1UE, R2UE, R3UE and R4UE. Fits all Hirschmann aerial sockets.

TV65/4-wg	TV/RF/SAT cover for E-design frames	EAN 4010312907634	**2,90 €/pc.**



UAE65/2-wg

Cover for 2-hole UAE/IAE (ISDN) and network sockets. Pure white glossy. For E-Design65 frames R1UE, R2UE, R3UE and R4UE. Fits all Rutenbeck or Telegärtner 2-hole UAE/IAE(ISDN) and network sockets.

UAE65/2-wg	2-hole UAE/IAE cover for E-design frames	EAN 4010312907399	**2,90 €/pc.**

8-10



TAE65F/3-wg

Cover for 3-socket telecommunications access unit (TAE). Pure white glossy. For E-Design65 flat frames RF1E, RF2E, RF3E and RF4E. Fits all Rutenbeck TAE access sockets.

TAE65F/3-wg	3-socket TAE cover for E-design flat frames	EAN 4010312907344	**2,90 €/pc.**



TV65F/2-wg

2-hole cover for TV/RF aerial sockets. Pure white glossy. For E-Design65 flat frames RF1E, RF2E, RF3E and RF4E. Fits all Hirschmann aerial sockets.

TV65F/2-wg	TV/RF cover for E-design flat frames	EAN 4010312907368	**2,90 €/pc.**



TV65F/3-wg

3-hole cover for TV/RF/SAT aerial sockets. Pure white glossy. For E-Design65 flat frames RF1E, RF2E, RF3E and RF4E. Fits all Hirschmann aerial sockets.

TV65F/3-wg	TV/RF/SAT cover for E-design flat frames	EAN 4010312907375	**2,90 €/pc.**

8-11



TV65F/4-wg

4-hole cover for TV/RF/SAT aerial sockets. Pure white glossy. For E-Design65 flat frames RF1E, RF2E, RF3E and RF4E. Fits all Hirschmann aerial sockets.

TV65F/4-wg	TV/RF/SAT cover for E-design flat frames	EAN 4010312907627	**2,90 €/pc.**



UAE65F/2-wg

Cover for 2-hole UAE/IAE (ISDN) and network sockets. Pure white glossy. For E-Design65 flat frames RF1E, RF2E, RF3E and RF4E. Fits all Rutenbeck or Telegärtner 2-hole UAE/IAE(ISDN) and network sockets.

UAE65F/2-wg	2-hole UAE/IAE cover for E-design flat frames	EAN 4010312907405	**2,90 €/pc.**

Recommended retail prices excluding VAT.



S065

Desktop base for E-Design65 pushbuttons and sensors, also flat except 230 V versions, are clipped onto the base. With slip-resistant plastic feet.

S065	Desktop base	EAN 4010312908143	**7,30 €/pc.**

8-12



S055

Desktop base for E-Design55 pushbuttons and sensors, except 230 V versions, are clipped onto the base. With slip-resistant plastic feet.

S055	Desktop base	EAN 4010312908150	**7,30 €/pc.**




FSAF-gr

Grey cover foil for wireless sensors. Covers the rear of wireless pushbuttons bonded to glass panes. Self-adhesive plastic foil permeable to air; easily to affix bubble-free. Please specify the size required.

FSAF-gr	Cover grey	EAN 4010312908136	**3,40 €/pc.**

Recommended retail prices excluding VAT.



W + DW

Rockers and double rockers laser engraved for E-Design65 pushbuttons and switches.

For all pushbuttons, switches and hand-held transmitters we provide rockers and double rockers offered in all colors with laser engraving.
The additional title +2P will do for each arrow top (up) and bottom (down).
The additional title +I0 will do for I (=on) top and 0 (=off) down.
The additional title +0I will do for 0 (=off) top and I (=on) down.
Other prints with a maximum of 6 lines must be characterized and then we engrave it in Arial font.
Maximum of two lines at the top, middle and bottom.
An overview of the pictograms for laser engraving is available on page 8-17. The pictogram number is sufficient as additional designation.
If we receive an E-mail to LGI@eltako.de with an Adobe Illustrator or Corel Draw file with the extension .ai or .cdr, we engrave individual customer requirements.
If you require a new pictogram in your specifications, we only charge a lump sum - please refer to the product designation **LGI.**
For rockers without symbol use the suffix 'not engraved'.

Rockers: W-B4FT65 [1], W-B4T65 [1], W-F4T65B/F4FT65/F4FT65B/F4T65/WT/WS65 W-F1FT65

add. nomenclature ...+0I



add. nomenclature ...+2P



as specified by customer



as specified by customer



Doppelwippen: DW-B4FT65 [1], DW-B4T65 [1], DW-F4T65B/F4FT65/F4FT65B/F4T65

add. nomenclature ...+0I



add. nomenclature ...+2P




as specified by customer



[1] The LEDs on bus pushbuttons and bus flat pushbuttons reduce the space for laser engraving.

LGI	Laser engraving individually, create new pictogram	EAN 4010312908310	**9,90 €/pc.**
W-B4FT65	Rocker for bus flat pushbutton E-design pure white glossy	EAN 4010312907207	**6,20 €/pc.**
DW-B4FT65	Double rocker for bus flat pushbutton E-design pure white glossy	EAN 4010312907191	**6,80 €/pc.**
W-B4T65	Rocker for bus pushbutton E-design pure white glossy	EAN 4010312907184	**6,20 €/pc.**
DW-B4T65	Double rocker for bus pushbutton E-design pure white glossy	EAN 4010312907214	**6,80 €/pc.**
W-F1FT65	Rocker for wireless flat pushbutton E-design	EAN 4010312907153	**6,20 €/pc.**
W-F4T65	Rocker for wireless pushbutton E-design pure white glossy	EAN 4010312907160	**6,20 €/pc.**
DW-F4T65	Double rocker for wireless pushbutton E-design pure white glossy	EAN 4010312907177	**6,80 €/pc.**
W-F4FT65B	Rocker for wireless flat pushbutton E-design with batteries pure white glossy	EAN 4010312908051	**6,20 €/pc.**
DW-F4FT65B	Double rocker for wireless flat pushbutton E-design with batteries pure white glossy	EAN 4010312908068	**6,80 €/pc.**
W-F4T65B	Rocker for wireless pushbutton E-design with batteries pure white glossy	EAN 4010312907276	**6,20 €/pc.**
DW-F4T65B	Double rocker for wireless pushbutton E-design with batteries pure white glossy	EAN 4010312907283	**6,80 €/pc.**
W-WT/WS65	Rocker for rocker switches and rocker pushbuttons E-design pure white glossy	EAN 4010312908075	**6,20 €/pc.**

Recommended retail prices excluding VAT.



W + DW

Rockers and double rockers laser engraved for pushbuttons and switches 55er design and E-Design55.

For all pushbuttons and hand-held transmitters we provide rockers and double rockers offered in all colors and hand-held transmitters with laser engraving.
The additional title +2P will do for each arrow top (up) and bottom (down).
The additional title +I0 will do for I (=on) top and 0 (=off) down.
The additional title +0I will do for 0 (=off) top and I (=on) down.
Other prints with a maximum of 6 lines must be characterized and then we engrave it in Arial font. Maximum of two lines at the top, middle and bottom.
An overview of the pictograms for laser engraving is available on page 8-17. The pictogram number is sufficient as additional designation.
If we receive an E-mail to LGI@eltako.de with an Adobe Illustrator or Corel Draw file with the extension .ai or .cdr, we engrave individual customer requirements.
If you require a new pictogram in your specifications, we only charge a lump sum - please refer to the product designation **LGI.**
For rockers without symbol use the suffix 'not engraved'.

8-14

Rockers: W-B4T55 [1], W-F4T55B, W-F2T55E, W-FMT55/2-, W-FT4CH, W-FT4F, W-FT55,

add. nomenclature ...+0I



add. nomenclature ...+2P



as specified by customer



Double rockers: DW-B4T55 [1], DW-F4T55B, DW-F4T55E, DW-FMT55/4-, DW-FT4CH, DW-FT4F, DW-FT55

add. nomenclature ...+0I



add. nomenclature ...+2P




as specified by customer



[1] The LEDs on bus pushbuttons and bus flat pushbuttons reduce the space for laser engraving.

LGI	Laser engraving individually, create new pictogram	EAN 4010312908310	**9,90 €/pc.**
W-B4T55	Rocker for bus pushbuttons ws/rw/wg/sz/an/al	EAN 4010312907573	**6,20 €/pc.**
DW-B4T55	Double rocker for bus pushbuttons ws/rw/wg/sz/an/al	EAN 4010312907580	**6,80 €/pc.**
W-F4T55B	Rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312907313	**6,20 €/pc.**
DW-F4T55B	Double rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312907320	**6,80 €/pc.**
W-F2T55E	Rocker for wireless pushbuttons 55x55mm wg	EAN 4010312908419	**6,20 €/pc.**
DW-F4T55E	Double rocker for wireless pushbuttons 55x55mm wg	EAN 4010312907320	**6,80 €/pc.**
W-FMT55/2	Rocker for wireless mini pushbuttons ws/rw/wg/sz/an/al	EAN 4010312906323	**6,20 €/pc.**
DW-FMT55/4	Double rocker for wireless mini pushbuttons ws/rw/wg/sz/an/al	EAN 4010312906330	**6,80 €/pc.**
W-FT4CH	Rocker for wireless pushbuttons Swiss Design ws(61)/hg(65)/sz(60)	EAN 4010312906347	**6,20 €/pc.**
DW-FT4CH	Double rocker for wireless pushbuttons Swiss Design ws(61)/hg(65)/sz(60)	EAN 4010312906385	**6,20 €/pc.**
W-FT4F-	Rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312906262	**6,20 €/pc.**
DW-FT4F-	Double rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312906279	**6,80 €/pc.**
W-FT55	Rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312906286	**6,80 €/pc.**
DW-FT55	Double rocker for wireless pushbuttons 55x55mm ws/rw/wg/sz/an/al	EAN 4010312906293	**6,80 €/pc.**
W-FT55R	Rocker for wirel. pushbuttons 55x55mm for Busch Reflex and Duro, white/alpine white	EAN 4010312907047	**6,20 €/pc.**
DW-FT55R	Double rocker for wirel. pushbuttons 55x55mm for Busch Reflex and Duro, white/alpine white	EAN 4010312907061	**6,80 €/pc.**
W-WT/WS55	Rocker for rocker switch and rocker pushbutton ws/rw/wg/sz/an/al	EAN 4010312908112	**6,20 €/pc.**



W + DW

Rockers and double rockers laser engraved for remote controls and hand-held transmitters.

For all pushbuttons and hand-held transmitters we provide rockers and double rockers offered in all colors and hand-held transmitters with laser engraving.
The additional title +2P will do for each arrow top (up) and bottom (down).
The additional title +I0 will do for I (=on) top and 0 (=off) down.
The additional title +0I will do for 0 (=off) top and I (=on) down.
Other prints with a maximum of 6 lines must be characterized and then we engrave it in Arial font. Maximum of two lines at the top, middle and bottom.
An overview of the pictograms for laser engraving is available on page 8-17. The pictogram number is sufficient as additional designation.
If we receive an E-mail to LGI@eltako.de with an Adobe Illustrator or Corel Draw file with the extension .ai or .cdr, we engrave individual customer requirements.
If you require a new pictogram in your specifications, we only charge a lump sum - please refer to the product designation **LGI.**

Rockers: W-FMH2

add. nomenclature ...+0I



add. nomenclature ...+2P



as specified by customer



Double rockers: DW-FMH4

add. nomenclature ...+0I



add. nomenclature ...+2P



as specified by customer



Double rockers: DW-FF8

add. nomenclature ...+0I



add. nomenclature ...+2P



LGI	Laser engraving individually, create new pictogram	EAN 4010312908310	**9,90 €/pc.**
DW-FF8	Double rocker for wireless remote control anthracite-soft paint	EAN 4010312906378	**6,80 €/pc.**
W-FMH2	Rocker for wireless hand-held transmitters FMH2 ws/rw/wg/sz/an/al	EAN 4010312906354	**6,20 €/pc.**
DW-FMH4	Double rocker for wireless hand-held transmitters FMH4 ws/rw/wg/sz/an/al	EAN 4010312906361	**6,80 €/pc.**

LASER ENGRAVINGS OVERVIEW




60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117

LASER ENGRAVINGS OVERVIEW



For any laser engraving order, please specify the type of your pushbutton, remote control or hand-held transmiter, the engraving number and also if you need a single or double rocker. Rockers and double rockers for pushbuttons, remote controls and hand-held transmitters are available on pages 8-14 to 8-16.



AR65/2,8-wg

Adapter frame for other wireless sensors in E-Design65 of Series 65 as height adjustment. Pure white glossy.

AR65/2,8-wg: for frames for flat pushbuttons 80x80mm, R1F, R2F and R3F [1].
The adapter frame is plugged on from the rear prior to assembly of these sensors.
Cut the 4 rear projecting pins on the E-design sensors off flush before connecting the adapter frame AR65/2,8.

[1] Also for Gira Standard 55 and Busch-Jaeger Future Linear frames.

AR65/2,8-wg	Adapter frame pure white glossy	EAN 4010312907436	**1,10 €/pc.**





BBH65/12VDC-wg

Bus motion/brightness sensor pure white glossy for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-Design65 switching system. 84 x 84 mm, 27 mm high. Installation depth 33 mm. Data transmission and power supply takes place over the 4-wire bus with a 12 V DC power supply unit. Only 0.1 watt standby loss. Smart Home sensor.

BBH65/ 12VDC-wg	Bus motion/brightness sensor, pure white glossy	EAN 4010312318966	**71,60 €/pc.**





BTR65H/12VDC-wg

Bus temperature controller with hand wheel pure white glossy for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-Design65 switching system. 84 x 84 mm, 27 mm high. Installation depth 33 mm. Data transmission and power supply takes place over the 4-wire bus with a 12V DC power supply unit. Only 0.1 watt standby loss. Smart Home sensor.

BTR65H/ 12VDC-wg	Bus temperature controller with hand wheel, pure white glossy	EAN 4010312318959	**61,30 €/pc.**

Recommended retail prices excluding VAT.





BUTH65D/12V DC-wg

Bus thermo clock/hygrostat with display pure white glossy for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-Design65 switching system. 84 x 84 mm, 14 mm high. Installation depth 33 mm. With adjustable day and night reference temperatures and relative humidity. Illuminated display. Preset ready to operate. Data transmission and power supply takes place over the 4-wire bus with a 12 V DC power supply unit. Only 0.1 watt standby loss. Smart Home sensor.

BUTH65D/ 12V DC-wg	Bus thermo clock/hygrostat with display, pure white glossy	EAN 4010312318942	**71,70 €/pc.**

8-20





BTF65/12V DC-wg

NEW

Bus temperature sensor pure white glossy for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-Design65 switching system. 84 x 84 mm, 17mm high. Installation depth 33 mm. Data transmission and power supply take place over the 4-wire bus with a 12 V DC mains adapter. Only 0.1 watt standby loss. Smart Home sensor.

BTF65/ 12V DC-wg	Bus temperature sensor, pure white glossy	EAN 4010312319741	**56,30 €/pc.**





BBH55/12VDC-wg

NEW

Bus motion/brightness sensor for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-Design55 switching system. 80x80mm, 25mm high. Installation depth 33mm. Data transmission and power supply take place over the 4-wire bus with a 12V DC switching power supply unit. Only 0.1 watt standby loss. Smart Home sensor.

BBH55/ 12VDC-wg	Bus motion/brightness sensor, pure white glossy	EAN 4010312319789	**71,60 €/pc.**

Recommended retail prices excluding VAT.





BTR55H/12VDC-wg

NEW

Bus temperature controller with hand wheel for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-Design55 switching system. 80 x 80 mm, 27 mm high. Installation depth 33 mm. Data transmission and power supply take place over the 4-wire bus with a 12 V DC switching power supply unit. Only 0.1 watt standby loss. Smart Home sensor.

BTR55H/ 12VDC-wg	Bus temperature controller with hand wheel, pure white glossy	EAN 4010312319796	**61,30 €/pc.**

8-21





BUTH55D/12V DC-wg

NEW

Bus thermo clock/hygrostat with display pure white glossy for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-Design55 switching system. 80 x 80 mm, 14 mm high. Installation depth 33 mm. With adjustable day and night reference temperatures and relative humidity. Illuminated display. Preset ready to operate. Data transmission and power supply takes place over the 4-wire bus with a 12 V DC power supply unit. Only 0.1 watt standby loss. Smart Home sensor.

BUTH55D/ 12V DC-wg	Bus thermo clock/hygrostat with display, pure white glossy	EAN 4010312319802	**71,70 €/pc.**





BTF55/12V DC-wg

NEW

Bus temperature sensor pure white glossy for connection to the RS485 bus gateway BGW14. For single mounting or mounting into the E-Design55 switching system. 80 x 80 mm, 17 mm high. Installation depth 33 mm. For installation in 55 mm switch boxes. Data transmission and power supply take place over the 4-wire bus with a 12 V DC mains adapter. Only 0.1 watt standby loss.

BTF55/ 12V DC-wg	Bus temperature sensor, pure white glossy	EAN 4010312319819	**56,30 €/pc.**

Recommended retail prices excluding VAT.